



IP65

50,000
HOURS

5
YEARS'
WARRANTY

3000K
4000K
5700K
CCT
SELECTABLE

NEXT DAY
DELIVERY

COMMERCIAL RANGE



VENTURE
LIGHTING



5
YEARS'
WARRANTY



Interior and Exterior
options available.



3000K

4000K

5700K

CCT
SELECTABLE

The **IP65 rated** Bamburgh bulkhead can be used **indoors and out** with **four trim levels** to suit **every occasion**.

Customise your project even further with **integral 3 hour emergency and microwave sensor options**.

BAMBURGH

BULKHEAD

Order Code: AMY005-KITBG


Photometric Data	
Lumens	870
Emergency Mode Lumens	-
Emergency Duration (Hrs)	-
Colour Rendering Index (CRI)	80-89
Adjustable CCT	Positions
LPW (lm/W)	95
Colour Temperature (K)	3000-5700
SDCM	SDCM6
Light Distribution	Symmetric
Lens / Reflector	Diffuser lens/optic/panel



Life Data		
Rated Life (Hrs)	Ta = 25C	
	50000	
Lumen Maintenance (Hrs)	Ta = 25C	
	B50	B10
	L70	-
	L80	-
	L90	50000

Electrical Data	
Microwave Sensor	No
Battery Type	-
Light Sensor	No
PIR Sensor	No
Input Current (mA)	70-70
No. Per B16 Breaker	48
No. Per C16 Breaker	64
Input (W)	14
Input (V)±10%	200-240
Voltage Type	AC
Power Factor	0.9
Energy Efficiency Class (EEC)	A++, A+, A (LED)
Electrical Class	II
Type of Wiring	Suitable for through wiring
Non-dimmable	Yes

Physical Data	
Degree of Protection (IP)	IP65
Housing Colour	Black
Housing Material	Plastic
Height/Depth (mm)	90
Diameter (mm)	350
Suitable for surface mounting	Yes
Lamp Type	LED exchangeable
Cover Material	Plastic- opal
Impact Strength	IK06



Order Code: AMY005-KITBG

Environmental Data

Ambient Rated Temperature Range (°C)	-20-45
--------------------------------------	--------

Logistical Data

Packaging Length (mm)	340
Packaging Width (mm)	340
Packaging Height (mm)	350
Carton Length (mm)	590
Carton Width (mm)	350
Carton Height (mm)	35
Carton Weight (kg)	7.8
Quantity per Carton	6